

RESPONSE

This is a Response to the Non-Final Office Action, Mailing Date 10/31/2008 in which it was noted that the Applicant's Response efiled on 09/17/2008 was not fully responsive, due to the following:

1. The proposed amendments cannot be reconciled with the amendment filed December 17, 2007.

Applicant wishes to respond to the Office Action, mail dated 09/08/2008, as follows:

- 1. Failure of Proposed Amendments to Reconcile with the amendment filed December 17, 2007.**

The examiner rejected the proposed amendments because they cannot be reconciled with the amendment filed December 17, 2007. The examiner did not specify which claim or specification amendment from December 17, 2007 with which the proposed amendment could not be reconciled. The examiner did not specify in what way the amendments could not be reconciled. In response, the entire claim listing in the Applicant's Response of 10/31/2008 has been corrected to reconcile with the amendments of 12/17/2008. The Applicant respectfully requests the examiner to refer to the Response of 6/18/2008 for remarks regarding the proposed claim and specification amendments, and that these

Inventor: Ms. Eve Gambla
Title: IMPROVED TOILET OVERSPRAY SHIELD FOR MALES
Ser. No.: 10/792,235
Filing Date: 03/03/2004
Examiner: Mr. Robert M. Fetsuga
Group Art Unit No.: 3751

amendments to both the claims and specification be allowed.

Respectfully Submitted,

/JoAnne M. Denison/ electronic signature

JoAnne M. Denison
Pat. Reg. No. 34,150

DENISON & ASSOC., PC
212 W. Washington St, #2004
Chicago, IL 60606-3487
312-553-1300 phone, 312-553-1307 fax
jdenison@surfree.com or www.DenisonLaw.com
Y:\Corr08\Gambla-resp2OA-1110.wpd